

	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
<b>A</b>								
abdominal pain	7,10			1-3,9		3	5	
<b>abortion</b>								
therapeutic								7
<b>abuse</b>								
alcohol								7,13
sexual			9			6	4	
amine odour whiff testing	7,8			3				4,5
amiodarone		4						
amphotericin B								11
ampicillin/sulbactam penicillin				6	8,9			
amsel criteria				3				
anal	2,10,11							
appendicitis				1,4				
<b>aspirate</b>								
epididymal		3						
asymptomatic	2	2,4		8	2,5-7	2,6	1-3	3,7-9,13
azithromycin			8			4	3,6	
<b>B</b>								
<b>bacteria</b>								
aerobic				1				
anaerobic	7			1,5-7				
facultative				1,5				
bacterial vaginosis (BV)				3,7				1,2,4,6-8
balanitis			5					
bathouse			2					
Behçet Disease			5					
benzathine penicillin G.						5		
bimanual exam	7			3				



	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
chancre			3					
chancroid	5		1,3,4,6-9					
chlamydia ( <i>Chlamydia trachomatis</i> )	1-4,6,9,10	1,3,4	1,8	1-3,8	5	2,3-6	1-3,5,6	1,6
ciprofloxacin			8	6,7	9	4		
circuit parties			2					
circumcision			1					
clindamycin				6				4,7,8
clotrimazole								9,10
clue cells	8			3				4,5
cocaine			1					
coliforms	6	1,2						
condoms								6,7,9-11
condylomata acuminata	11							
condylomata lata	11							
constipation	10					3		
corticosteroids								3,11
cryptosporidium						1		
cytomegalovirus			4					
<b>D</b>								
dark-field microscopy	5		6,7					
dermatitis			5					1
diaphragm								7,9-11
diarrhea						3		
diplococci	3,6			4			2,6	
direct fluorescent antibody (DFA)	5		6				2	
<b>discharge</b>								
anal/rectal	10					4		
cervical	4							



	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
fluorescent treponemal antibody absorption (FTA-ABS) test	5							
four-glass localization test					8			
<b>G</b>								
gastroenteritis				1				
genital ulcer disease (GUD)	5		1,5,7,9					
gentamicin				6	9			
<i>giardia lamblia</i>						2		
gonorrhea ( <i>Neisseria gonorrhoeae</i> )	1-4,6,7,9,10	1,3,4		1,3-8		2-4,6	1-6	1,4,6
gram negative				4,5			2,6	4
gram positive					5			5
gram stain	3,4,6-8	3	6				2,4,6	4,5
granuloma inguinale ( <i>Klebsiella granulomatis</i> )			1,3,4,6-9					
<b>H</b>								
hematochezia						3		
hematuria							2	
Henoch-Schönlein purpura		4						
hepatitis A virus (HAV)	2							
hepatitis B virus (HBV)	2					5		
hepatitis C virus (HCV)	2		2					
Herpes Simplex Virus (HSV)	2-5,10		1,3-9	1,3		2,3,5	1,4	
heterosexual						2		
HIV/AIDS	2		1,2,7-9	4,8,9		1,5		2,6,8,12,13
<b>human papilloma virus (HPV)</b>	2,11							
warts (anal, genital, oral)								
hydrocele		2						
<b>I</b>								
infertility				2,5,8				

	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
inguinal nodes			3					
<b>interstitial</b>								
cystitis					10			
intrauterine device (IUD)				9				2,3,7
itraconazole								10
<b>K</b>								
ketoconazole								10
<b>L</b>								
lactating				6,7				
lactobacilli								1,5,14
laparoscopy				3-5				
<b>lymph node</b>								
inguinal			3					
<b>lymphadenopathy</b>			1,3				2	
femoral			3					
inguinal	5							
lymphogranuloma venereum (LGV)			1,3,6-9			2-5		
<b>M</b>								
malaise			3					
men who have sex with men (MSM)	5		1-3,7					
metronidazole				5-7				4,7,8,13
miconazole								9
microhemagglutination for Treponema pallidum (MHA-TP)	5		6,7					
micropapillomatosis labialis / vestibular papillae	11							
microsporidium						1		

	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
<i>Mobiluncus sp.</i>								1
<b>mucopurulent</b>								
discharge, cervical	4							4
discharge, rectal	10					3		
discharge, urethral							1,2,6	
exudates				3				
myalgia					5			
<b>Mycoplasma</b>								
<i>genitalium</i>				1			1,4	
<i>hominis</i>				1	5			
<b>N</b>								
nausea				4		3		
newborn/neonate								8
NIH-NIDDK classification of prostatitis syndromes					1,2			
nocturia							2	
non-treponemal test (NTT)			6					
norfloxacin					9			
<b>notification</b>								
partner		4	8	8	10	6	3	8,12,13
<b>nucleic acid amplification test (NAAT)</b>	2-7,9,10		5-7	4		3		
polymerase chain reaction (PCR)			6					
nystatin								11
<b>O</b>								
ofloxacin				6,7	9	4		
<b>oral sex</b>			2					
oral-anal	2					2		
oral-genital						2		

	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
<b>P</b>								
<i>P. aeruginosa</i>		1						
<b>papanicolaou (pap smear, pap test)</b>	2,11							
pearly penile papules	11							
pelvic inflammatory disease (PID)	7			1-9				2
perihepatitis				8				
polymorphonuclear leukocytes (PMN)	3,4,6						1,2,6	4
<b>pregnancy</b>				9				2,3,7-13
ectopic	7			2-5,8				
premature rupture of membranes (PROM)								2,8,13
preterm labour								2,8
<b>prevention</b>		2	2	2		2	1	2,14
primary				2				
primary care								2
proctitis						1-6		
proctocolitis			3			1-3		
prostatitis		1			1-10		4	
prostatodynia					2			
pruritus	8,9,11						1	1
pseudomonas		1	4		5			
pyoderma			5					
<b>Q</b>								
quinolones		3		5-7	9	4		
<b>R</b>								
rapid plasma reagin (RPR)			6,7					
rave			2					
reportable STIs			8					

	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
<b>resistance</b>								
antimicrobial							2	
metronidazole								13
quinolone		3				4		
restriction fragment length polymorphism (RFLP)			7					
<b>S</b>								
serology	2,5,10		5-7,9			3	3	
serovar			7			2,4		
sex toys						2		
sex workers			1,2			2		
street youth						2	3	
<b>stricture</b>			3					
urethral							4	
<b>syphilis</b>			1-8			3,5,6		
primary syphilis			1,3,4,6			5		
secondary syphilis						5		
<b>T</b>								
tenesmus						3		
test of cure		3	9	6,7		4	3	
<b>testicular</b>		1-3			7			
torsion		2,3						
tetracycline			8	6,7				
topical therapy								8-12,14
travel			1,2,7,8					
<i>Treponema pallidum</i> particle agglutination (TP-PA)			6,7					
treponemal test			6					
trichomoniasis ( <i>Trichomonas vaginalis</i> )	3,4,8,9			1	5			1-4,6,13,14

	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
trimethoprim - sulfamethoxazole (TMP-SMX)			8		9			
tubal factor infertility				2				
<b>tuberculosis</b>		1						
<i>Mycobacterium tuberculosis</i>		1						
two-glass pre and post massage screening test					8			
<b>U</b>								
ulcer	5		1-7,9					
<i>Ureaplasma urealyticum</i>				1	5			
urethral	2,3,6	2			10		1,2,4,6	
urethritis		1,2	3		8,10		1-6	13
urinary tract infection (UTI)					1,6,7		4,5	
urine	2,3,6,7	3			8		2,4,5	
U.S. National Institutes of Health-Chronic Prostatitis Symptom Index					2-4			
<b>V</b>								
vaginal	4,7-9,11			3				1-14
Venereal Disease Research Laboratory (VDRL)	5		6,7					
vesicle			3,5					
viral load								2
vomiting				4				
vulvar intra-epithelial neoplasia (VIN)			5					
<b>W</b>								
wet-mount	4,7,8			3				4,5
white blood cell (WBC)				3				5
window period	2							