

# CANADIAN GUIDELINES ON SEXUALLY TRANSMITTED INFECTIONS (2008 UPDATE)

## V – MANAGEMENT AND TREATMENT OF SPECIFIC INFECTIONS

### CHLAMYDIAL INFECTIONS (January 2008)

#### References

1. Patrick DM, Wong T, Jordan R. Sexually transmitted infections in Canada: recent resurgence threatens national goals. *Can J Hum Sexuality* 2000;9:149–165.
2. Public Health Agency of Canada. Reported cases of notifiable STI from January 1 to June 30, 2006 and January 1 to June 30, 2005. Available at: [http://www.phac-aspc.gc.ca/std-mts/stdcases-casmts/cases-cas-07\\_e.html](http://www.phac-aspc.gc.ca/std-mts/stdcases-casmts/cases-cas-07_e.html). Accessed on September 17, 2007
3. Farley TA, Cohen DA, Elkins W. Asymptomatic sexually transmitted diseases: the case for screening. *Prev Med* 2003;36:502–509.
4. Stamm WE, Koutsky LA, Benedetti JK, Jourden JL, Brunham RC, Holmes KK. *Chlamydia trachomatis* urethral infections in men. Prevalence, risk factors, and clinical manifestations. *Ann Intern Med* 1984;100:47–51.
5. Stamm WE. Expanding efforts to prevent chlamydial infection. *N Engl J Med* 1998;339:768–770.
6. Gaydos CA, Howell MR, Pare B, et al. *Chlamydia trachomatis* infections in female military recruits. *N Engl J Med* 1998;339:739–744.
7. Marrazzo JM, White CL, Krekeler B, et al. Community-based urine screening for *Chlamydia trachomatis* with a ligase chain reaction assay. *Ann Intern Med* 1997;127:796–803.
8. Marrazzo JM, Whittington WL, Celum CL, et al. Urine-based screening for *Chlamydia trachomatis* in men attending sexually transmitted disease clinics. *Sex Transm Dis* 2001;28:219–225.
9. Chen MY, Donovan B. Screening for genital *Chlamydia trachomatis* infection: are men the forgotten reservoir? *Med J Aust* 2003;179:124–125.
10. Andersen B, Olesen F, Moller JK, Ostergaard L. Population-based strategies for outreach screening of urogenital *Chlamydia trachomatis* infections: a randomized, controlled trial. *J Infect Dis* 2002;185:252–258.
11. Ginocchio RH, Veenstra DL, Connell FA, Marrazzo JM. The clinical and economic consequences of screening young men for genital chlamydial infection. *Sex Transm Dis* 2003;30:99–106.
12. Creighton S, Tenant-Flowers M, Taylor CB, Miller R, Low N. Co-infection with gonorrhoea and chlamydia: how much is there and what does it mean? *Int J STD AIDS* 2003;14:109–113.
13. Lyss SB, Kamb ML, Peterman TA, et al; Project RESPECT Study Group. *Chlamydia trachomatis* among patients infected with and treated for *Neisseria gonorrhoeae* in sexually transmitted disease clinics in the United States. *Ann Intern Med* 2003;139:178–185.
14. U.S. Preventive Services Task Force. Screening for Chlamydial Infection: U.S. Preventive Services Task Force recommendation statement. *Ann Intern Med* 2007;147:128–134.
15. Meyers DS, Halvorson H, Luckhaupt S. Screening for Chlamydial Infection: An evidence update for the U.S. Preventive Services Task Force. *Ann Intern Med* 2007;147:135–142.
16. Braverman PK, Biro FM, Brunner RL, Gilchrist MJ, Rauh JL. Screening asymptomatic adolescent males for chlamydia. *J Adolesc Health Care* 1990;11:141–144.
17. Chernesky MA, Jang D, Lee H, et al. Diagnosis of *Chlamydia trachomatis* infections in men and women by testing first-void urine by ligase chain reaction. *J Clin Microbiol* 1994;32:2682–2685.

18. LaMontagne DS, Fine DN, Marrazzo JM. *Chlamydia trachomatis* infection in asymptomatic men. *Am J Prev Med* 2003;24:36–42.
19. Marrazzo JM, Celum CL, Hillis SD, Fine D, DeLisle S, Handsfield HH. Performance and cost-effectiveness of selective screening criteria for *Chlamydia trachomatis* infection in women. Implications for a national Chlamydia control strategy. *Sex Transm Dis* 1997;24:131–141.
20. Moncada J, Schachter J, Shafer MA, et al. Detection of *Chlamydia trachomatis* in first catch urine samples from symptomatic and asymptomatic males. *Sex Transm Dis* 1994;21:8–12.
21. Domeika M, Bassiri M, Mardh PA. Diagnosis of genital *Chlamydia trachomatis* infections in asymptomatic males by testing urine by PCR. *J Clin Microbiol* 1994;32:2350–2352.
22. Anestad G, Berdal BP, Scheel O, et al. Screening urine samples by leukocyte esterase test and ligase chain reaction for chlamydial infections among asymptomatic men. *J Clin Microbiol* 1995;33:2483–2484.
23. Ciemins EL, Kent CK, Flood J, Klausner JD. Evaluation of chlamydia and gonorrhea screening criteria: San Francisco sexually transmitted disease clinic: 1997 to 1998. *Sex Transm Dis* 2000;27:165–167.
24. Health Protection Agency. New Frontiers – National Chlamydia Screening Programme Annual Report 2005/6. Available at: <http://www.hpa.org.uk/publications/2006/ncsp/>. Accessed on September 17, 2007.
25. Davies HD, Wang EE. Periodic health examination, 1996 update: 2. Screening for chlamydial infections. Canadian Task Force on the Periodic Health Examination. *CMAJ* 1996;154:1631–1644.
26. Centers for Disease Control and Prevention (CDC). Sexually transmitted diseases treatment Guidelines 2006. *MMWR Recomm Rep* 2006;55(RR-11):1–94.
27. Cohen I, Veille JC, Calkins B. Improved pregnancy outcome following successful treatment of chlamydial infection. *JAMA* 1990;263:3160–3163.
28. Ryan GM Jr, Abdella TN, McNeeley SG, Baselski VS, Drummond DE. *Chlamydia trachomatis* infection in pregnancy and effect of treatment on outcome. *Am J Obstet Gynecol* 1990;162:34–39.
29. Black-Payne C, Ahrabi MM, Bocchini JA Jr, Ridenour CR, Brouillette RM. Treatment of *Chlamydia trachomatis* identified with Chlamydiazyme during pregnancy. Impact on perinatal complications and infants. *J Reprod Med* 1990;35:362–367.
30. Schachter J, Sweet RL, Grossman M, Landers D, Robbie M, Bishop E. Experience with the routine use of erythromycin for chlamydial infections in pregnancy. *N Engl J Med* 1986;314:276–279.
31. McMillan JA, Weiner LB, Lamberson HV, et al. Efficacy of maternal screening and therapy in the prevention of chlamydia infection of the newborn. *Infection* 1985;13:263–266.
32. Whittington WL, Kent C, Kissinger P, et al. Determinants of persistent and recurrent *Chlamydia trachomatis* infection in young women: results of a multicenter cohort study. *Sex Transm Dis* 2001;28:117–123.
33. Schillinger JA, Kissinger P, Calvet H, et al. Patient-delivered partner treatment with azithromycin to prevent repeated *Chlamydia trachomatis* infection among women: a randomized, controlled trial. *Sex Transm Dis* 2003;30:49–56.
34. Gunn RA, Fitzgerald S, Aral SO. Sexually transmitted disease clinic clients at risk for subsequent gonorrhea and chlamydia infections: possible “core” transmitters. *Sex Transm Dis* 2000;27:343–349.
35. Rietmeijer CA, Van Bemmelen R, Judson FN, Douglas JM Jr. Incidence and repeat infection rates of *Chlamydia trachomatis* among male and female patients in an STD clinic: implications for screening and rescreening. *Sex Transm Dis* 2002;29:65–72.
36. Korenromp EL, Sudaryo MK, de Vlas SJ, et al. What proportion of episodes of gonorrhoea and chlamydia becomes symptomatic? *Int J STD AIDS* 2002;13:91–101.
37. Schater J, McCormack WM, Chernesky MA, et al. Vaginal Swabs are appropriate specimens for diagnosis of genital tract infection with *Chlamydia trachomatis*. *Clin Microbiol* 2003;41:3784–3789.
38. Hillis SD, Coles FB, Litchfield B, et al. Doxycycline and azithromycin for prevention of chlamydial persistence or recurrence one month after treatment in women. A use-effectiveness study in public health settings. *Sex Transm Dis* 1998;25:5–11.

39. Hammerschlag MR, Golden NH, Oh MK, et al. Single dose of azithromycin for the treatment of genital chlamydial infections in adolescents. *J Pediatr* 1993;122:961–965.
40. Johnson RB. The role of azalide antibiotics in the treatment of Chlamydia. *Am J Obstet Gynecol* 1991;164(6 Pt 2):1794–1796.
41. Marra F, Marra C, Patrick DM. Cost-effectiveness analysis of azithromycin for *Chlamydia trachomatis* infection in women: a Canadian perspective. *Can J Infect Dis* 1997;8:202–208.
42. Martin DH, Mroczkowski TF, Dalu ZA, et al. A controlled trial of a single dose of azithromycin for the treatment of chlamydial urethritis and cervicitis. The Azithromycin for Chlamydial Infections Study Group. *N Engl J Med* 1992;327:921–925.
43. Nilsen A, Halsos A, Johansen A, et al. A double blind study of single dose azithromycin and doxycycline in the treatment of chlamydial urethritis in males. *Genitourin Med* 1992;68:325–327.
44. Nuovo J, Melnikow J, Paliescheskey M, King J, Mowers R. Cost-effectiveness analysis of five different antibiotic regimens for the treatment of uncomplicated *Chlamydia trachomatis* cervicitis. *J Am Board Fam Pract* 1995;8:7–16.
45. Ossewaarde JM, Plantema FHF, Rieffe M, Nawrocki RP, De Vries A, van Loon AM. Efficacy of single-dose azithromycin versus doxycycline in the treatment of cervical infections caused by *Chlamydia trachomatis*. *Eur J Clin Microbiol Infect Dis* 1992;11:693–697.
46. Thorpe EM Jr, Stamm WE, Hook EW 3rd, et al. Chlamydial cervicitis and urethritis: single dose treatment compared with doxycycline for seven days in community based practises. *Genitourin Med* 1996;72:93–97.
47. Lau CY, Qureshi AK. Azithromycin versus doxycycline for genital chlamydial infections: a meta-analysis of randomized clinical trials. *Sex Transm Dis* 2002;29:497–502.
48. Judson FN, Beals BS, Tack KJ. Clinical experience with ofloxacin in sexually transmitted disease. *Infection* 1986;14(suppl 4):S309–S310.
49. Fransen L, Avonts D, Piot P. Treatment of genital chlamydial infection with ofloxacin. *Infection* 1986;14(suppl 4):S318–S320.
50. Batteiger BE, Jones RB, White A. Efficacy and safety of ofloxacin in the treatment of nongonococcal sexually transmitted disease. *Am J Med* 1989;87(6C):75S–77S.
51. Nayagam AT, Ridgway GL, Oriel JD. Efficacy of ofloxacin in the treatment of non-gonococcal urethritis in men and genital infections caused by *Chlamydia trachomatis* in men and women. *J Antimicrob Chemother* 1988;22(suppl C):155–158.
52. Maiti H, Chowdhury FH, Richmond SJ, et al. Ofloxacin in the treatment of uncomplicated gonorrhea and chlamydial genital infection. *Clin Ther* 1991;13:441–447.
53. Faro S, Martens MG, Maccato M, Hammill HA, Roberts S, Riddle G. Effectiveness of ofloxacin in the treatment of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* cervical infection. *Am J Obstet Gynecol* 1991;164(5 Pt 2):1380–1383.
54. Hooton TM, Batteiger BE, Judson FN, Spruance SL, Stamm WE. Ofloxacin versus doxycycline for treatment of cervical infection with *Chlamydia trachomatis*. *Antimicrob Agents Chemother* 1992;36:1144–1146.
55. Kitchen VS, Donegan C, Ward H, Thomas B, Harris JR, Taylor-Robinson D. Comparison of ofloxacin with doxycycline in the treatment of non-gonococcal urethritis and cervical chlamydial infection. *J Antimicrob Chemother* 1990;26(suppl D):99–105.
56. Mogabgab WJ, Holmes B, Murray M, Beville R, Lutz FB, Tack KJ. Randomized comparison of ofloxacin and doxycycline for chlamydia and ureaplasma urethritis and cervicitis. *Chemotherapy* 1990;36:70–76.
57. Linnemann CC Jr, Heaton CL, Ritchey M. Treatment of *Chlamydia trachomatis* infections: comparison of 1- and 2-g doses of erythromycin daily for seven days. *Sex Transm Dis* 1987;14:102–106.
58. Cramers M, Kaspersen P, From E, Moller BR. Pivampicillin compared with erythromycin for treating women with genital *Chlamydia trachomatis* infection. *Genitourin Med* 1988;64:247–248.

59. Scheibel JH, Kristensen JK, Hentzer B, et al. Treatment of chlamydial urethritis in men and *Chlamydia trachomatis*-positive female partners: comparison of erythromycin and tetracycline in treatment courses of one week. *Sex Transm Dis* 1982;9:128–131.
60. Bowie WR, Manzon LM, Borrie-Hume CJ, Fawcett A, Jones HD. Efficacy of treatment regimens for lower urogenital *Chlamydia trachomatis* infection in women. *Am J Obstet Gynecol* 1982;142:125–129.
61. Somani J, Bhullar VB, Workowski KA, Farshy CE, Black CM. Multiple drug-resistant *Chlamydia trachomatis* associated with clinical treatment failure. *J Infect Dis* 2000;181:1421–1427.
62. Misyurina OY, Chipitsyna EV, Finashutina YP, et al. Mutations in a 23S rRNA gene of *Chlamydia trachomatis* associated with resistance to macrolides. *Antimicrob Agents Chemother* 2004;48:1347–1349.
63. Sorensen HT, Skriver MV, Pedersen L, Larsen H, Ebbesen F, Schonheyder HC. Risk of infantile hypertrophic pyloric stenosis after maternal postnatal use of macrolides. *Scand J Infect Dis* 2003;35:104–106.
64. Cooper WO, Griffin MR, Arbogast P, Hickson GB, Gautam S, Ray WA. Very early exposure to erythromycin and infantile hypertrophic pyloric stenosis. *Arch Pediatr Adolesc Med* 2002;156:647–650.
65. Mahon BE, Rosenman MB, Kleiman MB. Maternal and infant use of erythromycin and other macrolide antibiotics as risk factors for infantile hypertrophic pyloric stenosis. *J Pediatr* 2001;139:380–384.
66. Honein MA, Paulozzi LJ, Himelright IM, et al. Infantile hypertrophic pyloric stenosis after pertussis prophylaxis with erythromycin: a case review and cohort study. *Lancet* 1999;354:2101–2105.
67. Magat AH, Alger LS, Nagey DA, Hatch V, Lovchik JC. Double-blind randomized study comparing amoxicillin and erythromycin for the treatment of *Chlamydia trachomatis* in pregnancy. *Obstet Gynecol* 1993;81(5 Pt 1):745–749.
68. Kacmar J, Cheh E, Montagno A, Peipert JF. A randomized trial of azithromycin versus amoxicillin for the treatment of *Chlamydia trachomatis* in pregnancy. *Infect Dis Obstet Gynecol* 2001;9:197–202.
69. Wehbeh HA, Rugeirio RM, Shahem S, Lopez G, Ali Y. Single-dose azithromycin for Chlamydia in pregnant women. *J Reprod Med* 1998;43:509–514.
70. Adair CD, Gunter M, Stovall TG, McElroy G, Veille JC, Ernest JM. Chlamydia in pregnancy: a randomized trial of azithromycin and erythromycin. *Obstet Gynecol* 1998;91:165–168.
71. Alary M, Joly JR, Moutquin JM, et al. Randomised comparison of amoxicillin and erythromycin in treatment of genital chlamydial infection in pregnancy. *Lancet* 1994;344:1461–1465.
72. Bush MR, Rosa C. Azithromycin and erythromycin in the treatment of cervical chlamydial infection during pregnancy. *Obstet Gynecol* 1994;84:61–63.
73. Genc MR. Treatment of genital *Chlamydia trachomatis* infection in pregnancy. *Best Pract Res Clin Obstet Gynaecol* 2002;16:913–922.
74. Jacobson GF, Autry AM, Kirby RS, Liverman EM, Motley RU. A randomized controlled trial comparing amoxicillin and azithromycin for the treatment of *Chlamydia trachomatis* in pregnancy. *Am J Obstet Gynecol* 2001;184:1352–1354.
75. Silverman NS, Sullivan M, Hochman M, Womack M, Jungkind DL. A randomized, prospective trial comparing amoxicillin and erythromycin for the treatment of *Chlamydia trachomatis* in pregnancy. *Am J Obstet Gynecol* 1994;170:829–831