

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lymphogranuloma Venereum (LGV)	Syphilis
A										
abdominal pain		2				3				
Aboriginal								1		1,5
abstinence								3, 4,6		2
abuse										
sexual		9			10	3,4,12		5		23,24
aceto-whitening or aceto-acid testing					6,9					
acyclovir				6,7,8,10						
adefovir							7			
allergy										17,23
cephalosporin						8,9				
penicillin						8,9				14-19
alopecia										4
amoxicillin		7								
anemia								10		4
anogenital		1			1-4,6,9					
antibody										6
antiHBc							4			
antiHBe							4			
antiHBs							1,3-5			
anti-HIV								3,11		
anti-HSV				1,3,5,10						
homologous				4,9						
IgG				4			4	12		7
IgM				4,5			4			7
undetectable							4	14		
anti-emetics						8				

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lymphogranuloma Venereum (LGV)	Syphilis
burrow ink test			3							
C										
Canadian Adverse Drug Reaction Monitoring Program		5								
cancer										
cervical					1-5			11,17		
candidiasis								9-11,15		
oroesophageal								9-11		
vulvovaginal										
carcinoma					3,5					
hepatocellular carcinoma							3			
CD4								1,6,9-15		13
cefixime						8,9				
ceftriaxone	3					8-10				15,16
cervical dysplasia					2,3			10,12		
atypical squamous cells of undetermined significance (ASCUS)					5					
cervical intra-epithelial neoplasia (CIN)					3					
high-grade squamous intra-epithelial neoplasia (HSIL)					3					
low-grade squamous intra-epithelial lesions (LSIL)					3					

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lymphogranuloma Venereum (LGV)	Syphilis
cesarean section				8-10						
chancre	2									4-6
chancroid	1-3								6	13,19
chlamydia (<i>Chlamydia trachomatis</i>)						5-11		2,12,16	1,5,7	19
ciprofloxacin	3					7,8				
circumcision	1									
cirrhosis							3			
clarithromycin		5						15		
clindamycin		7								
CO2 laser ablation					8					
colposcopy					5,6			17		
complement fixation									4,5	
condoms	1			2,3,5,6				4-6,8	1	
condylomata lata					4,9					4,6
condylomata acuminata					1,4,9					
conjunctivitis		2,5,6,9				2,3				
constipation									2	
contraception								7		
corticosteroids			1,4							
counselling				5,8,9	2,3,9			3-7,9,11,13,17		2
harm reduction							2	7		
post-test								3-6,11		
pre-test								3,4,11		
crotamiton			4							
cryotherapy					8					
cryptosporidium								11		

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lymphogranuloma Venereum (LGV)	Syphilis
crystalline penicillin										17
<i>Cytomegalovirus</i> (CMV)								11,15		
D										
dapsone								15		
dark-field microscopy										6,13,14
dermatitis			2,4			2				
diarrhea								9,10		
diplococci						5,7				
direct fluorescent antibody (DFA)	2	3,4								6,13,14
discharge					4					
anal/rectal						3			2	
eye						10				
nasal										14
urethral		2				3,7				
vaginal		2				3				
doxycycline		5-7				9			6	15
dyspareunia		2				3				
dysphagia								10		
dysuria		2				3				
E										
Ectoparasitic infestations										
pubic lice (<i>Phtirus pubis</i>)/ pediculosis pubis			1,4							
scabies (<i>Sarcoptes scabiei</i>)			3,5							

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lymphogranuloma Venereum (LGV)	Syphilis
H										
haemorrhagic proctitis									2	
Health Canada Special Access Program (SAP)						8-10				14
hemodialysis							2,3			
hepatitis A virus (HAV)								6		
hepatitis B immune globulin (HBIG)							3,5			
hepatitis B virus (HBV)							1-8	6,12,16		
hepatitis C virus (HCV)							1	6	1,6	
hepatosplenomegaly										4
Herpes Simplex Virus (HSV)	1			1-11	2			2,6,10,11,16		13,19
heterosexual				1,3				1		1,5
highly active anti-retroviral therapy (HAART)								2,3,14,17		
HIV/AIDS	1-3	7	3,5	6,8	2,5,6,9,10		1,2,7	1-17		2,5,13,15,16,19,21,22
human papilloma virus (HPV)		7			1-10			12,13,16,17		19
warts (anal, genital, oral)					1-10			12		
Hutchinson's teeth										4
hydroxyzine			1							
I										
imiquimod					7					

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lymphogranuloma Venereum (LGV)	Syphilis
lymphadenopathy								9,10,17		4
femoral									2,7	
inguinal									2,7	
lymphogranuloma venereum (LGV)									1-7	13,19
M										
macrolides	3	5				10				
malaise			1						2	4
medico-legal		3						5,17		
men who have sex with men (MSM)						2,4	1,2	1,2,6,12,13,16,17	1	1,5,15
meningitis						2,9,10				4
aseptic				1,3				9	2	
uncommon				3						
metronidazole										
microhemagglutination for <i>Treponema pallidum</i> (MHA-TP)										7
microimmunofluorescence (MIF)									4,5	
micropapillomatosis labialis / vestibular papillae					4					
molluscum contagiosum					4					
mucopurulent discharge, cervical						7				
discharge, urethral						3,7				
Mueller Hinton agar	2									

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lymphogranuloma Venereum (LGV)	Syphilis
mutiplex polymerase chain reaction (M-PCR)	2									
myalgia				3				9,17	2	23
<i>Mycobacterium avium</i> complex (MAC)								1,11,15,17		
N										
National Microbiology Laboratory (NML)				10					3-5	5
nausea							3	9		
needle-exchange								7		2
neoplasia					3,4,6					
nevirapine								14		
newborn/neonate		2,6,8,9		8,10	2	2,3,10-12	1			2,5,14,15,23
non-treponemal test (NTT)										5-14,20-23
notification										
partner	3	8	5	9	10	1,11	7	4,5,16	7	20
nucleic acid amplification test (NAAT)	2	1,3,4,8				1,3-7,11,12			3-5,7	
polymerase chain reaction (PCR)	2	3		2,4						6,14
O										
ocular inflammatory disease									2	
ofloxacin		5				7,8				
ophthalmia neonatorum						10				

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lymphogranuloma Venereum (LGV)	Syphilis
oral contraception					2					
oral sex								2,4	1,2	2
oral-genital							3			
osteochondritis										4
P										
p24 antigen testing								3,11		
papanicoulau (pap smear, pap test)					4-6,9,10			17		
anal					6			12,17		
pearly penile papules					4					
pediculocide			2							
pelvic inflammatory disease (PID)		2,4				2,3				
pentamidine								15		
perihepatitis						2			2	
perinatal		9			2			6,7		20
permethrin			2,4							
pharynx						4,6				
<i>Pneumocystis Jiroveci</i> pneumonia (PCP)								1,9,11,15		
pneumonia		2,3						1,9,11,15		
pneumonitis		6,9						11	2	
podofilox/ podophyllotoxin					7					
podophyllin					8					
point of care tests (POC)								11		

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lymphogranuloma Venereum (LGV)	Syphilis
polymorphonuclear leukocytes (PMN)						7				
portal hypertension							3			
pregnancy		5-7		2,6,8,9	3,7,8,10	2,3,12	8	4		2,3,5,7-12, 16,22-28
ectopic		2				3				
prenatal visit		2					8			
prevention	1	1	1,3	2	2,5	2	2,3	3,6,15	1	2,3
primary							2			
secondary							3			
procaine penicillin										14
proctitis		2				2,3			2,3,7	
proctocolitis									2	
proctoscopy									3	
prodrome/al				2,4,6,7						
prophylaxis		6,9					2,3,8	4,8,15		
postexposure (PEP)							3,8	8		
pre-exposure							2			
pyoderma			3							
pyrethrin-piperonyl butoxide			2							
Q										
quinolones	3	6,7				1,7,8,12				
R										
rapid HIV testing								7		
rapid plasma reagin (RPR)										6-13,20,22,25-28
reinfection		2,8								6,21,28
Reiter syndrome		2				3				

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lymphogranuloma Venereum (LGV)	Syphilis
reportable STIs		8		9		11	7	16		1
resistance		5,8		9				14		
antimicrobial						1,3,4,11				
azithromycin										15
metronidazole										
penicillin						1				
quinolone						1,7				
restriction fragment length polymorphism (RFLP)									3,4,7	
retinitis								11,15		3
rifabutin								13,15		
ritonavir								14		
S										
saquinavir								14		
sebaceous glands					4					
sepsis						3				
seroconversion				1,3,5				9		
serology		3,7					4	11,16	3-5,7	5,6,8-14, 19-21,24,28
serovar		1							1,3-5	
sex toys									1	
sex workers	1									5
sigmoidoscopy									3	
skin tags					4					
spectinomycin						8,9				
stavudine (d4T)								14		
strand displacement amplification (SDA)									4	
street youth		1								

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lymphogranuloma Venereum (LGV)	Syphilis
stricture									2	
sulfamethoxazole		6								
sulphur			4							
synovial fluid						5,6				
syphilis	2,3									1-28
congenital										1,2,4,5,13-15,17,20,22-28
early latent										1,2,15,16,20-22,24,25,27,28
late latent										2,6-16,20,21,24,25,28
neurosyphilis								17		4,13-15,20,21
primary syphilis	2									1,2,4-13,15,16,20-22,24-28
secondary syphilis					4					1,2,4,6,13,15,16,20-28
tertiary syphilis										4,7-16,20,21
T										
tattoo								2,4		
test of cure		5-9				4,7-9,12			7	20
testicular		2				3				
torsion										
tenofovir								14		
tetracycline						1				
thioglycolate hemin-based transport media	2									
topical therapy		5	1,2,4		8					
<i>Toxoplasma gondii</i>								15		

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lymphogranuloma Venereum (LGV)	Syphilis
transcription mediated amplification (TMA)		3							4	
travel	1					2	2		6	
<i>Treponema pallidum</i> particle agglutination (TP-PA)										7-12
treponemal test										5-14,25-28
trichloroacetic acid					8,9					
trichomoniasis (<i>Trichomonas vaginalis</i>)								2		
trimethoprim - sulfamethoxazole (TMP-SMX)								15		
tuberculosis								6,11,13		
<i>Mycobacterium tuberculosis</i>								11,13		
Tzanck smear				4						
U										
ulcer	1,2			4,8				9,11,16	1	13-19
urethral		2-5,7			6,9	3-5,7-9			5	
urethritis		2		1		2				
urine		1,3,4		2		3,4,6		3	5	
uveitis										4
V										
vaccine										
hepatitis A virus								6,12,16		
hepatitis B virus							2-6	6,12,16		19
herpes simplex virus				3						
human papilloma virus	3	7		8	2	11		16		

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lymphogranuloma Venereum (LGV)	Syphilis
vaginal		2-4		2,9,10	7-9	3,4,9	1,3	2,4,6,8,10	1,5	2
vaginal bleeding		2				3				
valacyclovir				3,6-8						
Venereal Disease Research Laboratory (VDRL)										6,13,21,25-28
vesicle				3,4						
viral load								2,6,11-14		
viral shedding										
asymptomatic				1,2,4-6,8,9,10						
mucosal								9,16		
viremia							3	9,10		
vomiting		5,7					3	9		
vulvar intra-epithelial neoplasia (VIN)					4					
W										
western blot				5				11,12		
window period						3		5		
Z										
zidovudine								14		