

CANADIAN GUIDELINES ON SEXUALLY TRANSMITTED INFECTIONS (2008 UPDATE)

VI – SPECIFIC POPULATIONS

MEN WHO HAVE SEX WITH MEN (MSM) / WOMEN WHO HAVE SEX WITH WOMEN (WSW) (January 2008)

References

1. Bellis MA, Cook P, Clark P, Syed Q, Hoskins A. Re-emerging syphilis in gay men: a case-control study of behavioural risk factors and HIV status. *J Epidemiol Community Health*. 2002;56:235–235.
2. Centers for Disease Control and Prevention (CDC). Primary and secondary syphilis among men who have sex with men — New York City, 2001. *MMWR Morb Mortal Wkly Rep*. 2002;51:853–856.
3. Centers for Disease Control and Prevention (CDC). Resurgent bacterial sexually transmitted disease among men who have sex with men — King County, Washington, 1997–1999. *MMWR Morb Mortal Wkly Rep*. 1999;48:773–777.
4. Yamey G. San Francisco's HIV infection rate doubles. *BMJ*. 2001;322:260.
5. Hogg RS, Weber AE, Chan K, et al. Increasing incidence of HIV infections among young gay and bisexual men in Vancouver. *AIDS*. 2001;15:1321–1322.
6. Fox KK, del Rio C, Holmes KK, et al. Gonorrhoea in the HIV era: a reversal in trends among men who have sex with men. *Am J Public Health*. 2001;91:959–964.
7. Berglund T, Fredlund H, Giesecke J. Epidemiology of the reemergence of gonorrhoea in Sweden. *Sex Transm Dis*. 2001;28:111–114.
8. Catania JA, Osmond D, Stall RD, et al. The continuing HIV epidemic among men who have sex with men. *Am J Public Health*. 2001;91:907–914.
9. Ciemins EL, Flood J, Kent CK, et al. Reexamining the prevalence of *Chlamydia trachomatis* infection among gay men with urethritis: implications for STD policy and HIV prevention activities. *Sex Transm Dis*. 2000;27:249–251.
10. Geisler WM, Whittington WL, Suchland SJ, Stamm WE. Epidemiology of anorectal chlamydial and gonococcal infections among men having sex with men in Seattle: utilizing serovar and auxotype strain typing. *Sex Transm Dis*. 2002;29:189–195.
11. Calzavara L, Burchell AN, Major C, et al; Polaris Study Team. Increases in HIV incidence among men who have sex with men undergoing repeat diagnostic HIV testing in Ontario, Canada. *AIDS*. 2002;16:1655–1661.
12. Chen SY, Gibson S, Katz MH, et al. Continuing increases in sexual risk behavior and sexually transmitted diseases among men who have sex with men: San Francisco, Calif., 1999–2001. *Am J Public Health*. 2002;92:1387–1388.
13. Centers for Disease Control and Prevention (CDC). Outbreak of syphilis among men who have sex with men — Southern California, 2000. *MMWR Morb Mortal Wkly Rep*. 2001;50:117–120.
14. Centers for Disease Control and Prevention (CDC). Primary and secondary syphilis — United States, 2002. *MMWR Morb Mortal Wkly Rep*. 2003;52:1117–1120.
15. Nieuwenhuis RF, Ossewaarde JM, Götz HM, et al. Resurgence of lymphogranuloma venereum in Western Europe: an outbreak of *Chlamydia trachomatis* Serovar I2 proctitis in The Netherlands among men who have sex with men. *Clin Infect Dis* 2004;39:996–1003.
16. Lymphogranuloma venereum among men who have sex with men—Netherlands, 2003–2004. *MMWR Morb Mortal Wkly Rep* 2004;53:985–988.

17. Health Protection Agency. Enhanced surveillance for lymphogranuloma venereum (LGV) in England. *Commun Dis Rep CDR Weekly* [serial online] 2004;14. Available at: www.hpa.org.uk/cdr/archives/2004/cdr4104.pdf. Accessed January 19, 2006
18. ProMED-mail. Lymphogranuloma Venereum – USA (California). ProMED- mail 2004; 22 Dec: 20041222.3376. <http://www.promail.org>. Accessed 02 Feb 2005.
19. ProMED-mail. Lymphogranuloma Venereum – USA (Texas). ProMED- mail 2004; 24Dec: 20041224.3397. <http://www.promail.org>. Accessed 02 Feb 2005.
20. Institut de veille sanitaire. Emergence de la Lymphogranulomatose vénérienne rectale en France: cas estimés au 31 mars 2004. Synthèse réalisée le 1er Juin 2004. Available at: www.invs.sante.fr/presse/2004/le_point_sur/lgv_160604. Accessed January 19, 2006.
21. Kropp RY, Wong T; Canadian LGV Working Group. Emergence of lymphogranuloma venereum in Canada. *CMAJ* 2005;172:1674–1676.
22. Centers for Disease Control and Prevention (CDC). HIV prevention through early detection and treatment of sexually transmitted diseases – United States. *MMWR Recomm Rep*. 1998;47(RR-12):1-24.
23. Renzi C, Douglas JM Jr, Foster M, et al. Herpes simplex virus type 2 infection as a risk factor for human immunodeficiency virus acquisition in men who have sex with men. *J Infect Dis*. 2003;187:19–25.
24. Rottingen JA, Cameron DW, Garnett GP. A systematic review of the epidemiologic interactions between classic sexually transmitted diseases and HIV: how much really is known? *Sex Transm Dis*. 2001;28:579–597.
25. Fleming DT, Wasserheit JN. From epidemiological synergy to public health policy and practice: the contribution of other sexually transmitted diseases to sexual transmission of HIV infection. *Sex Transm Infect*. 1999;75:3–17.
26. Myers T, Allman D, Calzavara L, et al. *Ontario Men's Survey Final Report*. Available at: www.mens-survey.ca/doc/OMS_Report_web_final%20.pdf. Accessed February 24, 2005.
27. Koblin BA, Chesney MA, Husnik MJ, et al. High-risk behaviors among men who have sex with men in 6 US cities: baseline data from the EXPLORE study. *Am J Public Health*. 2003;93:926–932.
28. Ekstrand ML, Stall RD, Paul JP, Osmond DH, Coates TJ. Gay men report high rates of unprotected anal sex with partners of unknown or discordant HIV status. *AIDS*. 1999;13:1525–1533.
29. Dufour A, Alary M, Otis J, et al. Risk behaviours and HIV infection among men who have sex with men: baseline characteristics of participants in the Omega Cohort Study, Montreal, Quebec, Canada. *Can J Public Health*. 2000;91:345–349.
30. Halkitis PN, Parsons JT. Intentional unsafe sex (barebacking) among HIV-positive gay men who seek sexual partners on the Internet. *AIDS Care*. 2003;15:367–378.
31. Chen SY, Gibson S, Weide D, McFarland W. Unprotected anal intercourse between potentially HIV-serodiscordant men who have sex with men, San Francisco. *J Acquir Immune Defic Syndr*. 2003;33:166–170.
32. McFarlane M, Bull SS, Rietmeijer CA. The Internet as a newly emerging risk environment for sexually transmitted diseases. *JAMA*. 2000;284:443–446.
33. Klausner JD, Wolf W, Fischer-Ponce L, Zolt I, Katz MH. Tracing a syphilis outbreak through cyberspace. *JAMA*. 2000;284:447–449.
34. Rietmeijer CA, Bull SS, McFarlane M. Sex and the Internet. *AIDS*. 2001;15:1433–1434.
35. Elford J, Bolding G, Sherr L. Seeking sex on the Internet and sexual risk behaviour among gay men using London gyms. *AIDS*. 2001;15:1409–1415.
36. Centers for Disease Control and Prevention (CDC). Internet use and early syphilis infection among men who have sex with men – San Francisco, California, 1999–2003. *MMWR Morb Mortal Wkly Rep*. 2003;52:1229–1232.

37. Benotsch EG, Kalichman S, Cage M. Men who have met sex partners via the Internet: prevalence, predictors, and implications for HIV prevention. *Arch Sex Behav.* 2002;31:177–183.
38. Sowell RL, Lindsey C, Spicer T. Group sex in gay men: its meaning and HIV prevention implications. *J Assoc Nurses AIDS Care.* 1998;9:59–71.
39. Colfax GN, Mansergh G, Guzman R, et al. Drug use and sexual risk behavior among gay and bisexual men who attend circuit parties: a venue-based comparison. *J Acquir Immune Defic Syndr.* 2001;28:373–379.
40. Stall R, Purcell D. Intertwining epidemics: a review of research on substance use among men who have sex with men and its connection to the AIDS epidemic. *AIDS Behav.* 2000;4:181–192.
41. Purcell DW, Parsons JT, Halkitis PN, Mizuno Y, Woods WJ. Substance use and sexual transmission risk behavior of HIV-positive men who have sex with men. *J Subst Abuse.* 2001;13:185–200.
42. Mattison AM, Ross MW, Wolfson T, Franklin D; San Diego HIV Neurobehavioral Research Center Group. Circuit party attendance, club drug use, and unsafe sex in gay men. *J Subst Abuse.* 2001;13:119–126.
43. McNall M, Remafedi G. Relationship of amphetamine and other substance use to unprotected intercourse among young men who have sex with men. *Arch Pediatr Adolesc Med.* 1999;153:1130–1135.
44. Whittington WL, Collis T, Dithmer-Schreck D, et al. Sexually transmitted diseases and human immunodeficiency virus — discordant partnerships among men who have sex with men. *Clin Infect Dis.* 2002;35:1010–1017.
45. Vanable PA, Ostrow DG, McKirnan DJ. Viral load and HIV treatment attitudes as correlates of sexual risk behavior among HIV-positive gay men. *J Psychosom Res.* 2003;54:263–269.
46. Elford J, Bolding G, Maguire M, Sherr L. Combination therapies for HIV and sexual risk behavior among gay men. *J Acquir Immune Defic Syndr.* 2000;23:266–271.
47. International Collaboration on HIV Optimism. HIV treatments optimism among gay men: an international perspective. *J Acquir Immune Defic Syndr.* 2003;32:545–550.
48. Sherr L, Bolding G, Maguire M, Elford J. Viagra use and sexual risk behaviour among gay men in London. *AIDS.* 2000;14:2051–2053.
49. Chu PL, McFarland W, Gibson S, et al. Viagra use in a community-recruited sample of men who have sex with men, San Francisco. *J Acquir Immune Defic Syndr.* 2003;33:191–193.
50. Reller ME, Olsen SJ, Kressel AB, et al. Sexual transmission of typhoid fever: a multistate outbreak among men who have sex with men. *Clin Infect Dis.* 2003;37:141–144.
51. Gaudreau C, Michaud S. Cluster of erythromycin- and ciprofloxacin-resistant *Campylobacter jejuni* subsp. *jejuni* from 1999 to 2001 in men who have sex with men, Quebec, Canada. *Clin Infect Dis.* 2003;37:131–136.
52. Diamond C, Thiede H, Perdue T, et al. Seroepidemiology of human herpes virus 8 among men who have sex with men. *Sex Transm Dis.* 2001;28:176–183.
53. Johnson SR, Smith EM, Guenther SM. Comparison of gynecologic health care problems between lesbians and bisexual women: a survey of 2,345 women. *J Reprod Med.* 1987;32:805–811.
54. Bevier PJ, Chiasson MA, Heffernan RT, Castro KG. Women at a sexually transmitted disease clinic who reported same-sex contact: their HIV seroprevalence and risk behaviors. *Am J Public Health.* 1995;85:1366–1371.
55. Fethers K, Marks C, Mindel A, Estcourt CS. Sexually transmitted infections and risk behaviours in women who have sex with women. *Sex Transm Infect.* 2000;76:345–349.
56. Marrazzo JM, Stine K, Wald A. Prevalence and risk factors for infection with herpes simplex virus type-1 and -2 among lesbians. *Sex Transm Dis.* 2003;30:890–895.
57. Kwakwa HA, Ghobrial MW. Female-to-female transmission of human immunodeficiency virus. *Clin Infect Dis.* 2003;36:e40–41.

58. Marrazzo JM, Koutsky LA, Stine KL, et al. Genital human papillomavirus infection in women who have sex with women. *J Infect Dis*. 1998;178:1604–1069.
59. Kellock D, O'Mahony CP. Sexually acquired metronidazole-resistant trichomoniasis in a lesbian couple. *Genitourin Med*. 1996;72:60–61.
60. Campos-Outcalt D, Hurwitz S. Female-to-female transmission of syphilis: a case report. *Sex Transm Dis*. 2002;29:119–120.
61. Walters MH, Rector WG. Sexual transmission of hepatitis A in lesbians [letter]. *JAMA*. 1986;256:594.
62. Skinner CJ, Stokes J, Kirlaw Y, Kavanagh J, Forster GE. A case-controlled study of the sexual health needs of lesbians. *Genitourin Med*. 1996;72:277–280.
63. Berger BJ, Kolton S, Zenilman JM, Cummings MC, Feldman J, McCormack WM. Bacterial vaginosis in lesbians: a sexually transmitted disease. *Clin Infect Dis*. 1995;21:1402–1405.
64. Marrazzo JM, Koutsky LA, Handsfield HH. Characteristics of female sexually transmitted disease clinic clients who report same-sex behaviour. *Int J STD AIDS*. 2001;12:41–46.
65. Kennedy MB, Scarlett MI, Duerr AC, Chu SY. Assessing HIV risk among women who have sex with women: scientific and communication issues. *J Am Med Womens Assoc*. 1995;50:235–248.
66. Lemp GF, Jones M, Kellogg TA, et al. HIV seroprevalence and risk behaviors among lesbians and bisexual women in San Francisco and Berkeley, California. *Am J Public Health*. 1995;85:1549–1552.
67. Goldstein ST, Alter MJ, Williams IT, et al. Incidence and risk factors for acute hepatitis B in United States, 1982–1998: implications for vaccination programs. *J Infect Dis*. 2002;185:713–719.
68. Bell BP, Shapiro CN, Alter MJ, et al. The diverse patterns of hepatitis A epidemiology in the United States — implications for vaccination strategies. *J Infect Dis*. 1998;178:1579–1584.
69. MacKellar DA, Valleroy LA, Secura GM, et al. Two decades after vaccine license: hepatitis B immunization and infection among young men who have sex with men. *Am J Public Health*. 2001;91:965–971.
70. Canadian Immunization Guide. 6th ed. Ottawa, ON: Health Canada 2002.
71. Stall R, Mills TC, Williamson J, et al. Association of co-occurring psychosocial health problems and increased vulnerability to HIV/AIDS among urban men who have sex with men. *Am J Public Health*. 2003;93:939–942.
72. Seal DW, Kelly JA, Bloom FR, Stevenson LY, Coley BI, Broyles LA. HIV prevention with young men who have sex with men: what young men themselves say is needed. Medical College of Wisconsin CITY Project Research Team. *AIDS Care*. 2000;12:5–26.
73. McNair RP. Lesbian health inequities: a cultural minority issue for health professionals. *Med J Aust*. 2003;178:643–645.
74. Harrison AE. Primary care of lesbian and gay patients: educating ourselves and our students. *Fam Med*. 1996;28:10–23.
75. Richters J, Bergin S, Lubowitz S, Prestage G. Women in contact with Sydney's gay and lesbian community: sexual identity, practice, and HIV risks. *AIDS Care*. 2002;14:193–202.
76. Page-Shafer K, Graves A, Kent C, Balls JE, Zapitz VM, Klausner JD. Increased sensitivity of DNA amplification testing for the detection of pharyngeal gonorrhoea in men who have sex with men. *Clin Infect Dis*. 2002;34:173–176.
77. Golden MR, Astete SG, Galvan R, et al. Pilot study of COBAS PCR and ligase chain reaction for detection of rectal infections due to *Chlamydia trachomatis*. *J Clin Microbiol*. 2003;41:2174–2175.