

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Postpubertal Adolescents and Adults	Sex Workers	Substance Use	Travellers
A									
Aboriginal		1						1	
abortion									
therapeutic									
abstinence				3,7,10				2	
abuse									
sexual					1-3,8,11		1,3		
substance								1,2	
acyclovir				10					
alcohol		1,3	1,3			1,2		1,3,4,5	1,2
allergy									
cephalosporin						6			
penicillin				3,5					
amoxicillin				2,3					
anogenital	3	4	4,5	11					
antibody									
antiHBc	3			12				3	
antiHBs	3			1,12	7	5		3	
anti-HIV	2			12	7	5			
anti-HCV				2		5			
IgG				4,12					
IgM				4,12					
treponemal				4					
non treponemal				4					
artificial insemination				2					
aspirate					5				
vaginal					5				
assault, sexual					2,8,10,11	1-9			
azithromycin				2,3	9	6,7			

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Postpubertal Adolescents and Adults	Sex Workers	Substance Use	Travellers
B									
bacterial vaginosis			2	2,7	5				
bare-backing			1						
bathhouse			1,4						
benzathine penicillin G				5					
bimanual exam	4								
biopsy									
bisexual			1,2						
bleach kits		3							
blood		1							
boric acid				8					
breastfeeding				4, 12-14					
C									
candidiasis				8	5				
vulvovaginal				8					
cannabis								1,2,5	
CD4				14					
cephalosporin				3					
cefixime				3	9	6			
ceftriaxone				3,5					
cervical dysplasia		4,5	3,5,6				2		
chancroid	3								3
chlamydia (<i>Chlamydia trachomatis</i>)		2,4	1,2,4,5	1-3	4,5,8,9	1,3,4,6,7	2		1,3
cholestasis				3,13					
cesarean section				2,10,11,13-15					
Cialis™			1					2	

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Postpubertal Adolescents and Adults	Sex Workers	Substance Use	Travellers
ciprofloxacin						6			
circuit parties			1,4						
Citizenship and Immigration Canada (CIC)	2								
clindamycin				7					
clotrimazole				8					
CO ₂ laser ablation				11					
cocaine			1					1,5	
colposcopy						2			
condoms	4	2,3	2,3	3,10		2,7	1,2,3	1,3	1,2
conjunctivitis				2					
contraception						2,8			
Correctional Service Canada (CSC)		1,3							
CSC Infectious Disease Surveillance System		1							
counselling				1,5,10,14					
harm reduction		1,2,3,5	3,6					2,3	
patient centered			2						
peer		3							
pre-test		2-4							
post-test		2-4							
crack cocaine								1,2,5	
cryotherapy				11					
D									
diplococci						4			
Disability Adjusted Life Years (DALY)							2		
discharge									

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Postpubertal Adolescents and Adults	Sex Workers	Substance Use	Travellers
vaginal					4,5				
doxycycline				1-3		6			
E									
Ectoparasitic infestations									
pubic lice (<i>Phthirus pubis</i>)/ pediculosis pubis				9					
scabies (<i>Sarcoptes scabiei</i>)				9					
efavirenz				14					
emergency contraception						8			
endometritis				3,7					
enteritis			5						
enzyme immunoassay (EIA)									
erythromycin				1-3					
excision				11					
F									
fever				6					
fisting	3	4	4						2
Fluconazole				8					
fluorescent treponemal antibody absorption (FTA-Abs) test				4					
forensic					3,4	2,3			
G									
gamma hydroxybutyrate (GHB)			1						

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Postpubertal Adolescents and Adults	Sex Workers	Substance Use	Travellers
gammaglobulin				11					
genital ulcer disease (GUD)					4,6				
gonorrhoea (<i>Neisseria gonorrhoeae</i>)	3		1,2,4,5	1,2,3	4-6,8,9	1,3,4,6	1,2		1,3
gram negative						4			
gram stain					5,6	4			
H									
Health Canada Special Access Program (SAP)				3,5					
hemodialysis	3								
hepatitis A virus (HAV)			1	11				3	2
hepatitis B immuno globulin (HBIG)				12	10	7			
hepatitis B virus (HBV)	3		1	2,12	7,10,11	5,7		2,3	2
hepatitis C virus (HCV)	3,4		2	2,13	7,10,11	5,7		2	3
heroin								1,5	
Herpes Simplex Virus (HSV)				10	1,4,6,8				
heterosexual		3	1,2						
highly active anti-retroviral therapy (HAART)				14					
HIV/AIDS									
homophobia			4						
human papilloma virus (HPV)		4,5	2-6	11	8				

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Postpubertal Adolescents and Adults	Sex Workers	Substance Use	Travellers
warts (anal, genital, oral)				11					
I									
imiquimod				1,11					
immigrants	1-4								1,2
incarceration		1,2,3					1		
injection drug use (IDU)	2,3	1	2					1,3,4	
interferon				1,11,13					
alpha				13					
PEG-interferon alpha				13					
Internet			1,4						
J									
Jarisch-Herxheimer reaction				6					
K									
ketamine			1						
L									
lactating				3					
Levitra™			1					2	
Lindane (gamma benzene hexachloride)				1,9					
LSD								1,5	
lymph node			5						
lymphogranuloma venereum (LGV)	3		1						3
M									
medico-legal					5,6	4			

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Postpubertal Adolescents and Adults	Sex Workers	Substance Use	Travellers
men who have sex with men (MSM)			1-6						
methadone		3						2	
methamphetamine (crystal meth)			1					1,5,6	
methylenedioxy-methamphetamine (MDMA, ecstasy)			1					6	
metronidazole				2,6,7	9	7			
miconazole				8					
microhemagglutination for <i>Treponema pallidum</i> (MHA-TP)				4					
minocycline				1					
Motherisk				1					
motivational interviewing			3					3	
N									
needle-exchange		3						2,4,6	
nevirapine				14,15					
nonoxynol-9 (N-9)			3				2		
non-treponemal test (NTT)						5			
notification									
partner	1,2,5	2,5	5		11	8	3	6	3
nucleic acid amplification test (NAAT)		4				3,4			
polymerase chain reaction (PCR)				3,10					
nystatin				8					

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Postpubertal Adolescents and Adults	Sex Workers	Substance Use	Travellers
O									
ophtalmia neonatorum				3					
oral sex			1,2,5						
oral-anal		4	2,4		10	7	2		2
oral-genital					10	7			
P									
pediatric examination					3				
pelvic inflammatory disease (PID)				2					
perinatal				11,15	6				
permethrin				9					
pharynx					6				
pneumonia				2					
pneumonitis				10					
podofilox/podophyllotoxin				1,11					
podophyllin				1,11					
point of care tests		5					2	6	
pregnancy				1-15					
intrapartum				14-15					
premature rupture of membranes (PROM)				6,7					
prenatal visit				1,14					
preterm labour				7					
prevention	1,2	2,3	2,3		2	1	1,2	2,3	2
proctoscopy			5						
prodrome/al				11					
prophylaxis				2,10,11,15	5,6,8-11				

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Postpubertal Adolescents and Adults	Sex Workers	Substance Use	Travellers
postexposure (PEP)					10	7			
pruritus				9					
pseudomembranous colitis				7					
pyrethrin-piperonyl butoxide				9					
Q									
quinolones				1,3					
R									
rape	2					3			
rapid plasma reagin (RPR)				4					
rave			1,4						
refugee	1-4								
reinfection				7					
reportable STIs		5						6	
resistance									
quinolone						6			
ribavirin				1,13					
risk assessment	2	4	4,5					4	
S									
safe injection sites								2,3,6	
sepsis				3					
serology	2	4	4	2,4,10	9	7			
sex toys		4	2,4						
sex workers							1-3		1
spectinomycin				3					
speed								1,5	
spermicide							2		

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Postpubertal Adolescents and Adults	Sex Workers	Substance Use	Travellers
stavudine (d4T)								6	
stigma	1,2	1,5						2,6	
stillbirth				4,6					
street youth								1	
substance abuse		1				2		1,2	
substance use		3,4	4					1-6	
sulfamethoxazole				1					
syphilis									
congenital				4-6					
early latent and late latent				4,5					
secondary syphilis				4-6					
T									
tattoo	3	1,3,4							2,3
terconazole				8					
tetracycline				1					
topical therapy				7,8					
traditional medicine	4								
transgendered							1		
travel	2								
travellers									1-3
<i>Treponema pallidum</i> particle agglutination (TP-PA)				4		5			
treponemal test				4		5			
trichloroacetic acid				11					
trichomoniasis (<i>Trichomonas vaginalis</i>)				6,7	8,9	1,5,7			

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Postpubertal Adolescents and Adults	Sex Workers	Substance Use	Travellers
typhoid fever (<i>Salmonella enterica</i> serotype typhi)			2						
U									
ulcer	3		2,4		4,6				
urethral									
urethritis					6				
urine	4	4,5			5	3,4	2	6	
V									
vaccine									
hepatitis A virus				11					2
hepatitis B virus	3,5			12	10	7			2
herpes simplex virus									
human papilloma virus									
Venereal Disease Research Laboratory (VDRL)				4		5			
vertical transmission				1,2,10-14					
Viagra™			1					2	
viral load				14					
viral shedding									
asymptomatic				10					
vomiting						8			
W									
wet-mount				6	5,6	5			
window period									3
women who have sex with women (WSW)			1-6						
Z									
zidovudine				14,15					