



West Nile Virus National Surveillance Report English Edition

July 20, 2008 to July 26, 2008 (Week 30)

Canada

Human:

No human cases of West Nile virus (WNV) infection have been reported to the Public Health Agency of Canada (PHAC) since the start of this 2008 WNV season.

Bird:

As of week 30, a total of 594 dead birds have been tested by the Canadian Cooperative Wildlife Health Centre, of which 17 (3%) were positive for WNV. All seventeen positive birds were reported in Ontario [Niagara (1), Lambton (1), North Bay (7), Sudbury&District (2), Thunder Bay (1), Eastern Ontario (1), Haliburton (1), Renfrew county (2) and Peterborough (1)]. The positive birds were American Crows (94%) and Blue Jay (6%).

Mosquito:

As of week 30, nine (9) positive mosquito pools with WNV infection have been reported in Ontario [Windsor-Essex County (1), and Toronto Public Health(1)], and Manitoba [Assiniboine (7)] since the start of this season.

Domestic Animal:

No horses with WNV infection have been reported to the Canadian Food Inspection Agency (CFIA) since the start of this season.

National WNV surveillance data and maps can be found on the PHAC web site at:

<http://www.phac-aspc.gc.ca/wnv-vwn/index.html>

Provinces/Territories: Detailed WNV information can be accessed through the Links section on the PHAC WNV web site.


United States

Human:

As of 29 July 2008, sixty-two (62) human WNV clinical cases [Alabama (1), Arizona (1), Arkansas (2), California (12), Colorado (2), Connecticut (1), Louisiana (2), Idaho (3), Minnesota (3), Mississippi (9), North Dakota (5), Oklahoma (3), South Dakota (5), Pennsylvania (1), Tennessee (1), Texas (6), Utah (3), West Virginia (1) and Wyoming (1)] and eleven (11) presumptively positive viremic blood donors have been reported to the Centers for Disease Control and Prevention (CDC) in the U.S. Of the 62 cases, 25 (40%) were reported as West Nile meningitis or encephalitis (neuroinvasive disease) and 37(60%) as West Nile fever. No deaths have been reported.

States: Detailed State information can be accessed through the CDC web site: <http://www.cdc.gov/ncidod/dvbid/westnile/surv&control.htm>

WNV Human Clinical Cases and Asymptomatic Infections, by Province/Territory, by Report week, Canada, 2008



Abbreviations: Newfoundland & Labrador (NL), Prince Edward Island (PE), New Brunswick (NB), Nova Scotia (NS), Quebec (QC), Ontario (ON), Manitoba (MB), Saskatchewan (SK), Alberta (AB), British Columbia (BC), Yukon Territory (YK), Northwest Territories (NT), Nunavut (NU)

**WNV Human Clinical Cases and Asymptomatic Infections for the Current Report Week and Year-to-Date,
by Province/Territory, Canada, 2008**

Provinces Territories	Report Week: July 20, 2008 to July 26, 2008 (Week 30)					
	West Nile Virus Neurological Syndrome (WNNS)	West Nile Virus Non- Neurological Syndrome (WN Non_NS)	Unclassified / Unspecified	Total Clinical Cases ¹	No. of travel related cases ²	West Nile Virus Asymptomatic Infections ³
	No. Cases	No. Cases				
NL	0	0	0	0	0	0
PE	0	0	0	0	0	0
NS	0	0	0	0	0	0
NB	0	0	0	0	0	0
QC	0	0	0	0	0	0
ON	0	0	0	0	0	0
MB	0	0	0	0	0	0
SK	0	0	0	0	0	0
AB	0	0	0	0	0	0
BC	0	0	0	0	0	0
YT	0	0	0	0	0	0
NT	0	0	0	0	0	0
NU	0	0	0	0	0	0
Canada	0	0	0	0	0	0
Provinces Territories	Year-to-Date: May 25, 2008 to July 26, 2008					
	West Nile Virus Neurological Syndrome (WNNS)	West Nile Virus Non- Neurological Syndrome (WN Non_NS)	Unclassified / Unspecified	Total Clinical Cases ¹	No. of travel related cases ²	West Nile Virus Asymptomatic Infections ³
	No. Cases	No. Cases				
NL	0	0	0	0	0	0
PE	0	0	0	0	0	0
NS	0	0	0	0	0	0
NB	0	0	0	0	0	0
QC	0	0	0	0	0	0
ON	0	0	0	0	0	0
MB	0	0	0	0	0	0
SK	0	0	0	0	0	0
AB	0	0	0	0	0	0
BC	0	0	0	0	0	0
YT	0	0	0	0	0	0
NT	0	0	0	0	0	0
NU	0	0	0	0	0	0
Canada	0	0	0	0	0	0

¹ Total clinical cases is the sum of both probable and confirmed: WNNS, WN Non-NS and Unclassified / Unspecified

² Likely related to travel outside the province / territory

³ Satisfies West Nile virus diagnostic test criteria IN THE ABSENCE of clinical criteria. This category could include asymptomatic blood donors whose blood is screened using a Nucleic Acid Amplification Test (NAT), by Blood Operators (i.e. Canadian Blood Services or Hema-Quebec) and is subsequently brought to the attention of public health officials. Blood Operators in Canada perform a supplementary WN virus-specific NAT following any positive donor screen test result.

Details on human case definitions can be seen on the PHAC West Nile virus surveillance web site:

http://www.phac-aspc.gc.ca/wnv-vwn/hmncasedef_e.html

